



# En31 En8 Hydraulic Seamless Pipe Hydraulic Seamless Tubing ASTM A252

**Basic Information** 





## **Product Specification**

- Name:
- Technique:
- Material:
- OD:
- WT:
- Application:
- Certificate:
- Packing:
- Highlight:
- Carbon Steel Seamless Pipe Cold Drawn Carbon Steel 6-88mm 1-15mm High Precision Purpose, Auto Parts, Oil Cylinder, Etc TS16949, ISO 9001
- In Bundles, In Wooden Boxes, In Wooden Pallets
- tp304 en19 seamless pipes, en19 seamless pipes tp304, seamless pipe tp 304 en19



### **Product Description**

#### Construction ASTM A252 Hydraulic Carbon Steel Seamless Pipe

#### Specification

| Product Name       | Seamless Hydraulic Tube                               |  |  |  |  |  |
|--------------------|---|--|--|--|--|--|
| Material           | Carbon Steel  |  |  |  |  |  |
| Delivery Condition | +N (Normalized)                                       |  |  |  |  |  |
| Standard           | EN10305-4   |  |  |  |  |  |
| Size Range         | OD: 6-88mm, WT: 1-15mm                                |  |  |  |  |  |
| Application        | High precision purpose, auto parts, oil cylinder, etc |  |  |  |  |  |
| Keyword            | Seamless Cold Drawn Steel Tube                        |  |  |  |  |  |
| Certificate        | TS16949, ISO 9001                                     |  |  |  |  |  |
| HS code            | 7304319000  |  |  |  |  |  |
| Delivery Time      | 45 days   |  |  |  |  |  |
| Pakcing            | Bundles or Woodern Boxes                              |  |  |  |  |  |

| Steel Grade |                 | Chemical Composition |            |            |           |           |  |
|-------------|-----------------|----------------------|------------|------------|-----------|-----------|--|
| Symbol      | Material Number | C<br>Max.            | Si<br>Max. | Mn<br>Max. | P<br>Max. | S<br>Max. |  |
| E235        | 1.0308          | 0.17                 | 0.35       | 1.20       | 0.025     | 0.025     |  |
| E255        | 1.0408          | 0.21                 | 0.35       | 0.401.10   | 0.025     | 0.025     |  |
| E355        | 1.0580          | 0.22                 | 0.55       | 1.60       | 0.025     | 0.025     |  |

| Steel Grade |        | +C        | +C     |           | +LC +SR |           |            |        |
|-------------|--------|-----------|--------|-----------|---------|-----------|------------|--------|
| Name        | No.    | Rm<br>Mpa | A<br>% | Rm<br>Mpa | A<br>%  | Rm<br>Mpa | ReH<br>Mpa | A<br>% |
| E235        | 1.0308 | 480       | 6      | 420       | 10      | 420       | 350        | 16     |
| E255        | 1.0408 | 580       | 5      | 520       | 8       | 520       | 375        | 12     |
| E355        | 1.0580 | 640       | 4      | 580       | 7       | 580       | 450        | 10     |

| Steel Grade |        | +A        | +A     |           | +N         |        |  |
|-------------|--------|-----------|--------|-----------|------------|--------|--|
| Name        | No.    | Rm<br>Mpa | A<br>% | Rm<br>Mpa | ReH<br>Mpa | A<br>% |  |
| E235        | 1.0308 | 315       | 25     | 340480    | 235        | 25     |  |
| E255        | 1.0408 | 390       | 21     | 440570    | 255        | 21     |  |
| E355        | 1.0580 | 450       | 22     | 490630    | 355        | 22     |  |

#### Features of hydraulic seamless pipes:

Corrosion Resistance: Hydraulic seamless pipes are often coated or made from corrosion-resistant materials to withstand the harsh operating environments commonly encountered in hydraulic systems. The coatings or materials protect the pipes from corrosion caused by hydraulic fluids, moisture, chemicals, and other corrosive elements.

Smooth Internal Surface: Hydraulic seamless pipes undergo honing or other surface finishing processes to achieve a smooth internal surface. The smoothness reduces friction and turbulence within the pipe, facilitating efficient fluid flow and minimizing pressure drop. It also helps prevent the accumulation of debris or contaminants that could affect the performance of hydraulic components.

Compatibility with Hydraulic Fluids: Hydraulic seamless pipes are designed to be compatible with a wide range of hydraulic fluids, including mineral oil-based fluids, synthetic fluids, and water-based fluids. They exhibit excellent resistance to degradation, swelling, or deterioration when exposed to hydraulic fluids, ensuring long-term performance and reliability. Temperature and Pressure Resistance: Hydraulic seamless pipes are capable of withstanding a wide range of temperatures and pressures. They are designed to operate in both high-pressure and high-temperature environments commonly encountered in hydraulic systems, ensuring reliable performance under varying conditions.

#### Why Choose us?

- (1) High quality steel tube with reasonable price.
- (2) Wide excellent experiences with after-sale service.
- (3) Every process will be checked by responsible QC which insures every product's quality.
- (4) Professional packing teams which keep every packing safely.
- (5) Trial order can be done in one week.
- (6) Samples can be provided as your requirements.

#### FAQ

Q1. Are you a manufacturer or trader?

We are a manufacturer, and we can have our own factory produced many steel products.

Q2. Whether your company supports Trade Assurance order?

Yes, we can (100% product quality protection; 100% on-time shipment protection; 100% payment protection)
Q3. Can we get the some samples? Any charges?
Yes, you can get available samples in our stock. If the samples from new production, we will charge some reasonable cost, but this amount will be deducted from your first order.
Q4. How do we build up business relations with your company?
Send us your requirement which includes size, coating info, parameters, quantity, destination .
Q5. What is the MOQ?
We can accept small orders. Please feel free to contact us, we can meet your requirements.
Q6. What's your advantage?
With high-quality products and efficient customer service, we adhere to the principle of customer first.
Q7. How long is your delivery time?
Delivered within 15 days after receipt of deposit.

| Shandong Fengbao Metal Products Co., Ltd |             |                         |                          |  |  |  |  |
|--|-------------|-------------------------|--------------------------|--|--|--|--|
| 0  | 13003369243 | Lydia@fengbaosteels.com | e seamless-steeltube.com |  |  |  |  |